Roto DoorSafe Tandeo



The new defensive door lock: Roto DoorSafe CA 60A – Automatically more security!

ROTO DOORSAFE CA 60A – THE MECHANICAL-AUTOMATIC MULTI POINT LOCKI

There are many high quality doors with outstanding multi point locking systems. However, what use are they if you forget to lock them? **Tandeo** is a Roto innovation, which provides you with asecure multi point locking systems without any key or lever-handle operation. The **Tandeo system** locks your door automatically – without any manual effort. This is a security concept with ease and reliability in mind.

Tandeo is currently available for cylinder operated locks; a further Auto-bolt system for lever-handle operated locks will follow.

Security: The Roto DoorSafe CA 60A provides a unique solution with the highest security.

Convenience: The locking systems mechanical automation guarantees three point locking, simply by closing the door.

Flexibility: The Roto DoorSafe CA 60A can be used on all entrance doors, whether made of timber, PVC-U or aluminium.



DOORSAFE

NG



A CLEVER MOVE: THE POWERFUL LOCKING AUTOMATION SYSTEM

How often, on your way somewhere, you ask yourself: Is the door (actually) locked securely? With the Roto Door-Safe CA 60A multi point locking system, this problem is taken care of because the door automatically locks itself at two points.

QUALITY MECHANICAL TECHNOLOGY, FOR SIMPLE EVERYDAY OPERATION

A dependable mechanical system

The Roto DoorSafe CA 60A consists of a central deadbolt and two additional deadbolt locking points at the top and bottom of the door-sash, which are activated automatically when closing the door. For the user, convenience and optimum security is the result.





The main lock of the Roto DoorSafe CA 60A

system is a high quality cylinder lock that guarantees the highest security and durability

- ◆ deadbolt made of steel ◆ all lock components are made of high quality materials
- push-back safeguarded locking points
- can be used with standard lever/turn pads
- ♦ simple left/right latch adjustment

Day time

The Roto DoorSafe CA 60A's two additional locking points each consist of a deadbolt (the automatic bolt) which is integrated into the locking latch. When the door closes the latches automatically engage into their respective top and bottom strikers, releasing the automatic bolts and locking the door.



Night time

In order to lock the Roto DoorSafe CA 60A completely, you turn the key 360° or lift the lever and turn the key in the cylinder. By doing this, the deadbolt in the main lock is activated, and in addition, the pressure on the top and bottom latches is increased. The door is securely locked.

Day time unlocking

- ◆ If you open the door from the inside, all you have to do is press down on the lever-handle.
- ◆ All three latches and the two additional locking points are automatically withdrawn.


Night time unlocking (inside)

- ◆ If you open the door from the inside and the door is key-locked, you must first unlock the deadbolt with the key, and press down on the lever-handle.
- ♦ All three latches and the two additional locking point's are automatically withdrawn.

Unlocking (outside)

◆ From the outside, the door can only be opened by means of a key.

WE PROVIDE THE TECHNOLOGY. YOU ENJOY THE CONVENIENCE.



Advantages

- ♦ The Roto DoorSafe CA 60A is suitable for all timber, PVC-U and aluminium doors.
- ◆ The Roto DoorSafe CA 60A is equipped with a deadbolt on all backset versions of the main lock. ◆ The required routing dimensions for the main lock and additional locking points are the same as those on all other comparable Roto DoorSafe multi point locking systems. With that, tool changeover times and the small casing for the additional locking points reduces routing times.

Benefits

Roto DoorSafe CA 60A guarantees your door is always locked securely and firmly:

When key-locking, the top and bottom latches fully engage into their strikers. This means the latches and deadbolts are held securely.



◆ The additional locking points' strikers are laterally adjustable. So compression can be retro-adjusted easily on site.

◆ This new concept guarantees the additional locking points always offer secure protection against unauthorised access. Moreover, possible door distortion/warping is prevented by the automatic locking.



COMPETENCE WITHOUT BOUNDARIES

International subsidiaries:

Germany

Roto Frank AG Velbert factory Eintrachtstrasse 10 42551 Velbert Tel +49 2051 203-1

Fax +49 2051 203-251

Belgium

S.A. Roto Frank N.V. Rue du Bosquet 1 Zoning Industriel II 1400 Nivelles Tel +32 67 894140 Fax +32 67 841456 E-Mail info.bel@roto.be **Peoples Republic of China**

Beijing Roto Frank Building Materials Co., Ltd. Xindudongzhan, East of Xisanqi, Haidian District 100 096, Beijing Tel +86 10 82950045/46 Fax +86 10 82920115 E-Mail info.china@roto-frank.com France

Roto Frank Ferrures S.A.S. 42 rue de Longchamp 57502 Saint Avold Cédex Tel +33 3 87292440 Fax +33 3 87292444

Great Britain

Roto Frank Ltd. Swift Point Rugby, CV21 1QH Tel +44 1788 558600 Fax +44 1788 558605 E-Mail info.uk@roto-frank.com

Netherlands

Roto Frank B V Dorpsstraat 134 3991 BZ Houten Tel +31 30 6385550 Fax +31 30 6342840 E-Mail info.nl@roto-frank.com Austria Roto Frank

Eisenwarenfabrik AG Lapp-Finze-Straße 21 8401 Kalsdorf Tel +43 3135 504-0 Fax +43 3135 52727 **Poland**

Roto Frank Okucia Budowlane Sp z oo Wal Miedzeszynski 402 03-994 Warsaw Tel +48 22 87216-00/-04 Fax +48 22 87216-11

E-Mail info.pl@roto-frank.com

Romania

Roto Romania S r I Calea 13 Septembrie, Nr. 226 Bl. V54, Sc. 1, Ap. 10, Sect.5 7000 Bucharest Tel +40 21 2004700 Fax +40 21 2004701 E-Mail info.ro@roto-frank.com Russia

Roto Frank AG Kosmodamianskaja nab. 52, Geb. 1 113054 Moscow Tel +7 095 96124-27/-30 Fax +7 095 96124-31 E-Mail info@roto.ru

Switzerland

Roto Frank AG Bernstrasse 390 8953 Dietikon Tel +41 1 7458555 Fax +41 1 7458556 E-Mail info@roto.ch

Spain

Roto Frank S.A. C/ Ca n'Esteve No. 4B 08160 Montmeló (Barcelona) Tel +34 93 5689048 Fax +34 93 5689092 E-Mail info.sp@roto-frank.com Turkey

Roto Frank Ltd. Sti. Alemdağ Cad. Site Yolu No. 10 34768 Ümraniye - Istanbul Tel +90 216 6340901 Fax +90 216 6341578 E-Mail info.tr@roto-frank.com Hungary

Roto Flzett Vasalatkereskedelmi Kft. 9461 Lövö Kossuth u. 25 Tel +36 99 534-400 Fax +36 99 367-132 E-Mail info.hun@roto-frank.com

Roto Frank of America, Inc. Research Park Chester, CT 06412 Tel +1 860 526 4996 Fax +1 860 526 8390 E-Mail info.usa@roto-frank.com

International representatives:

Estonia

Roto Frank Ehitusrautised OÜ Peterburi tee 81-512 11415 Tallinn Tel +372 632 6980 Fax +372 632 6980 E-Mail roto@uninet.ee

Italy

SARI S.r.I.

Via delle Industrie 2, no. 8 30020 Meolo (VE) Tel +39 0421 618611 Fax +39 0421 618455 E-Mail info@sarimeolo.com Italy

Tekno System S.r.l. Zona Industriale SS 89 Km. 9.800 71011 Apricena (FG) Tel +39 0882 647671 Fax +39 0882 647669 E-Mail info@teknoroto.it

Slovenia

Roto Lož d.o.o. Cesta 19. oktobra 52 1386 Stari trg pri Ložu Tel +386 1 7095-100 Fax +386 1 7095-190

Czech Republic Roto Nové Město

Greece

Eurotechnica

O.T. 18 Nr. 34

Křičkova ulice 373 59231 Nové Město na Moravě Tel +420 566 652411 Fax +420 566 652413 E-Mail nove.mesto@roto-nm.cz E-Mail rotokiev@adamant.net

Industrial area of Thessaloniki A7

E-Mail eurotech@eurotechnica.gr

57022 Sindos/P.O. Box 198

Tel +30 310 796950

Fax +30 310 796783

Ukraine

Roto Frank AG ul. Marina Raskowoj, 17-612 02002 Kiev Tel +380 44 5010418 Fax +380 44 5685396

Belarus

Roto Frank AG Str. R. Luxemburg 220036 Minsk Tel +375 17 2561911 Fax +375 17 2561912 E-Mail rotominsk@tut.by

388369 no. Mat.

(Translation: Prunty 11/05) Roto is a registered trademark Dated: November 2005. changes le reserve the right to 2005 Roto Frank AG 680-0 GB

We We

Roto Frank AG - headquarters

Stuttgarter Strasse 145-149 • 70771 Leinfelden-Echterdingen • Germany

Telephone: +49 711 7598-0 • Telefax: +49 711 7598-253

info@roto-frank.com • www.roto-frank.com • www.infoline-beschlaege.de

