Pull handles







more than usual duraplus®


M545LG/23

HOPPE brass light curved pull handle on rose, **Cannes Series**. Concealed fixing: **including fixing system**. Design by Giugiaro Design.



Article description	Pull handle	Distance	F41-R	F49-R	F71	F72	ып	0.0
Article description	Ø	Distance	Article no.	Article no.	Article no.	Article no.	ا ۱۲.۰۰	0.0.
Pull handle with concealed	dependent	220	2664134	2664142	2664118	2664126	1	5
fixing system, piece	on form							

Article description	Pull handle	Distance	F73	F77-R		ып	O.C.
Article description	Ø	Distance	Article no.	Article no.		F.O.	0.0.
Pull handle with concealed	dependent	220	2667116	2664151		1	5
fixing system, piece	on form						



Included fixing systems for wooden doors:



The Resista® guarantee applies to all finishes with the letter R in the finish key.



M545LG

HOPPE brass light curved pull handle, **Cannes Series**. Concealed fixing: **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102). Design by Giugiaro Design.



Article description	Pull handle	Distance	F41-R	F49-R	F71	F72	ПП	0.0
Article description	Ø	Distance	Article no.	Article no.	Article no.	Article no.	14.0.1	0.0.
Pull handle with concealed	dependent	220	2664089	2664097	2664062	2664071	1	5
fixing system, piece	on form							

Article description	Pull handle	Distance	F73	F77-R			P.U.	0.0
Article description	Ø	Distance	Article no.	icle no. Article no.		P.U.	0.0.	
Pull handle with concealed	dependent	220	2667108	2664100			1	5
fixing system, piece	on form							



Included fixing systems:



Fixing systems for pull handles see on pages 272-274.

The Resista® guarantee applies to all finishes with the letter R in the finish key.



Valencia (Brass), Vitória (Brass)




M439/42

HOPPE brass straight pull handle on rose, Valencia Series. Concealed fixing: including fixing system.



Article description	Distance	F41-R	F71	F73	F77-R	ВΠ	0.0
Article description	Distance	Article no.	Article no.	Article no.	Article no.	JF.U.	0.0.
Pull handle with concealed	194	684526	525744	716678	1876944	1	5
fixing system, piece							



Included fixing systems for wooden doors:



The Resista® guarantee applies to all finishes with the letter R in the finish key.




M515LG/23

HOPPE brass light curved pull handle on rose, Vitória Series. Concealed fixing: including fixing system.



Article description	Pull handle	Distance	F41-R	F49-R	F71	F72	P.U.	00
Article description	Ø	Distance	Article no.	Article no.	Article no.	Article no.]P.U.	0.0.
Pull handle with concealed	dependent	210	2844830	2844821	2844784	2844805	1	5
fixing system, piece	on form							

Article description	Pull handle	Distance	F73	F77-R		P.U.	0.0
Article description	Ø	Distance	Article no.	Article no.		F.O.	0.0.
Pull handle with concealed	dependent	210	2844813	2844848		1	5
fixing system, piece	on form						



Included fixing systems for wooden doors:



The Resista® guarantee applies to all finishes with the letter R in the finish key.




Pull handles (Aluminium)

5010

HOPPE aluminium straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Pull handle	Dietance	F1-2		БП	O.C.
Article description	Ø	Distance	Article no.		F.O.	0.0.
Pull handle straight 5010, piece	30	300	609253		1	5
		350	655908		1	5



Included fixing systems:




Fixing systems for pull handles see on pages 272-274.

5004

HOPPE aluminium straight pull handle with angular (45°) square supports for entrance doors, **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102).



Article description	Pull handle	Distance	F1-2	F9-2		P.U.	0.0
Article description	Ø	Distance	Article no	Article no.			0.0.
Pull handle 5004,	25	330/210	2345942	2345951		1	5
niece							1



Included fixing systems:






5004D with design-rings

HOPPE aluminium straight pull handle with design-rings: with angular (45°) square supports, for entrance doors, **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102).



Beschreibung	Pull handle	Distance	F1-2 F9-2	P.U.	O.C.		
Descrireiburig	Ø	Distance	Article no.	Article no.		٦٢.٥.	0.0.
Pull handle 5004D with design-rings, piece	25	330/210	2346179	2346195		1	5



Included fixing systems:




Fixing systems for pull handles see on pages 272-274.

5040

HOPPE aluminium straight pull handle for entrance doors, for fixing system M8.



Article description	Pull handle	Distance	F1	F9		пп	O.C.
Article description	Ø	Distance	Article no.	Article no.		JP.U.	0.0.
Pull handle straight	20	220	605477	605484		1	5
5040 inside, piece							İ
Pull handle straight			678013	693900		1	5
5040 outside, piece							




Pull handles (Aluminium)

5210


HOPPE aluminium triangular pull handle for entrance doors, **including fixing system no. 11** (2 x BS-1102).



Article description	Pull handle	Distance	F1-2		ын	O.C.
Article description	Ø	Distance	Article no.		٦٢.٥.	0.0.
Pull handle triangular 5210, piece	30	300	655946		1	5
		350	606269		1	5



Included fixing systems:



Fixing systems for pull handles see on pages 272-274.

5310

HOPPE aluminium semi-circular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).

F1-2


Article no.

807215

655953

300

350



Included fixing systems:

P.U.

O.C.

5

5



BS-1102

Pull handles (Aluminium/Stainless steel)




5710

HOPPE aluminium straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Pull handle	Distance	F1-2	F9-2		DII	O.C.
Article description	Ø	Distance	Article no.	Article no.		ا.ن.ا	0.0.
Pull handle straight	dependent	300	2550882	2550891		1	5
5710, piece	on form						



Included fixing systems:



BS-1102


Fixing systems for pull handles see on pages 272-274.

E5000 - E5010

HOPPE stainless steel straight pull handle for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).



Article description	Pull handle	Distance	F69	F77-R	P.U.	o.c.
Article description	Ø	Distance	Article no.	Article no.	P.U.	0.0.
Pull handle straight E5000, piece	25	300	553648	832965	1	5
		350	602551	1693048	1	5
Pull handle straight E5010, piece	30	300	556144		1	5
•		350	602599		1	5



The Resista® guarantee applies to all finishes with the letter R in the finish key.



Included fixing systems:




E5011

HOPPE stainless steel straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Auticle describation	Pull handle	Distance	F69			0
Article description	Ø	Distance	Article no.		P.U.	O.C.
Pull handle straight 5011, piece	27/30	400/300	6520605		1	5
, , , , , , , , , , , , , , , ,		500/300	2010595		1	5
		600/400	2010624		1	5
		800/560	2010632		1	5
		1000/700	2010659		1	5
		1200/900	2010974		1	5
		1400/1000	2010982		1	5
		1600/1200	2011029		1	5
		1800/1300	2011037		1	5
				1		



Special lengths on request. Surcharge for special lengths per started 100 mm. When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).

Also available with several supports.

Included fixing systems:






E5012

HOPPE stainless steel straight pull handle with angular (45°) supports, for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).



Article description	Pull handle	Dietense	F69			
Article description	Ø	Distance	Article no.		P.U.	O.C.
Pull handle straight 5012, piece	27/30	400/300	8124414		1	5
		500/300	2011053		1	5
		600/400	2011061		1	5
		800/560	2011555		1	5
		1000/700	2011571		1	5
		1200/900	2011598		1	5
		1400/1000	2011643		1	5
		1600/1200	2011678		1	5
		1800/1300	2011707		1	5



Special lengths on request. Surcharge for special lengths per started 100 mm. When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).

Also available with several supports.


Included fixing systems:



BS-1102

E5014

HOPPE stainless steel straight pull handle with angular (45°), square supports of **aluminium**, for entrance doors; **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 250 mm, 2 x BS-1102 if distance 300 mm or 400 mm).



Article description	Pull handle	Distance	F69/F1		P.U.	O.C.
Article description	Ø	Distance	Article no.		P.U.	0.0.
Pull handle straight 5014, piece	30	400/250	2206301		1	5
		500/300	2206344		1	5
		600/400	2206387		1	5

Special lengths on request. Surcharge for special lengths per started 100 mm. When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).

Also available with several supports.

Included fixing systems:




Fixing systems for pull handles see on pages 272-274.

E5015

HOPPE stainless steel straight pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Pull handle	Distance	F69		ППП	O.C.
Article description	Ø	Distance	Article no.		P.U.	0.0.
Pull handle straight 5015, piece	30	300	2206766		1	5
		350	2206782		1	5



Special lengths on request. Surcharge for special lengths per started 100 mm. When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).

Also available with several supports.

Included fixing systems:



BS-1102




E5100 - E5110

HOPPE stainless steel cranked pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Beschreibung	Pull handle	Distance	F69		P.U.	O.C.
Descrireburg	Ø	Distance	Article no.		ا ۱۲.۰۰	0.0.
Pull handle, cranked, E5100, piece	25	300	602575		1	5
		350	556090		1	5
Pull handle, cranked, E5110, piece	30	300	602605		1	5
		350	610563		1	5



Included fixing systems:




BS-1102

E5210

HOPPE stainless steel triangular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).



Article description	Pull handle	Distance	F69		рп	O.C.
Article description	Ø	Distance	Article no.			0.0.
Pull handle triangular 5210, piece	30	300	556106		1	5
		350	595297		1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles see on pages 272-274.

E5215

HOPPE stainless steel triangular pull handle for entrance doors, including fixing system no. 11 (2 x BS-1102).

F69

Article no.

2206811


2206838

Pull handle

Distance

300

350



1 5

Included fixing systems:

P.U.

O.C.




BS-1102




E5310

HOPPE stainless steel semi-circular pull handle for entrance doors, **including fixing system no. 11** ($2 \times BS-1102$).



E5311

HOPPE stainless steel semi-circular pull handle for entrance doors: with straight supports, **including fixing system no. 11** $(2 \times BS-1102)$.




E5511

HOPPE stainless steel light curved pull handle for entrance doors: with straight supports, **including fixing system no. 11** $(2 \times BS-1102)$.



Article description	Pull handle	Distance	F69		P.U.	O.C.
Article description	Ø	Distance	Article no.		F.O.	0.0.
Pull handle light curved, E5511, piece	27/30	800/695	2611059		1	5
		1200/1000	2694851		1	5
		1600/1400	2694860		1	5
		2000/1800	2694878		1	5



Included fixing systems:



Fixing systems for pull handles see on pages 272-274.


E5600


HOPPE stainless steel, flat bow-shaped pull handle for entrance doors.




Article description	Diotopoo	F69		<u> </u>	00	
Article description		Distance	Article no.		P.U.	0.0.
Pull handle flat bow- shaped E5600, piece		390/350	2206862		1	5

Can be used for concealed fixing with two screws M8 (not included) on aluminium and nylon doors.







Fixing systems for pull handles see on pages 272-274.






E5606

HOPPE stainless steel, flat bow-shaped pull handle with square, straight supports for entrance doors: **including fixing system no. 11** (1 x BS-1101 and 1 x BS-1102 if distance 250 mm, 2 x BS-1102 if distance 350 mm or 500 mm)



Auticle description	Distance	F69		Поп	00
Article description	Distance	Article no.		P.U.	O.C.
Pull handle flat bow- shaped E5606, piece	408/250	2206871		1	5
	500/350	2420375		1	5
	697/500	2292473		1	5



Included fixing systems:



Fixing systems for pull handles see on pages 272-274.

M553

HOPPE brass triangular curved pull handle for entrance doors, **including fixing system no. 11** (1 \times BS-1101 and 1 \times BS-1102).



115	84
	250

F41-R F77-R F73 Pull handle Distance P.U. O.C. Article description Ø Article no. Article no. Article no. Pull handle triangular 250 dependent 1885015 1843860 1886288 5 curved M553, piece on form

The Resista® guarantee applies to all finishes with the letter R in the finish key.



Included fixing systems:

